Standard Elektrik Lorenz AG
Business Systems Group
42 Hellmuth-Hirth-Strasse
D-7 Stuttgart 40, Germany
Telephone: (0711) 821-3029
+49 .711 .821-3029
Telegrams: stanlor
Telex: 7 211 215

© by SEL · Printed in W. Germany
1369 E · 10771 · Da

Standard Elektrik Lorenz AG Germany ITT

Tomorrow's teleprinter today

SEL-Teleprinter LO 2000

Standard Elektrik Lorenz AG Germany ITT

Eight reasons for choosing the SEL Teleprinter LO 2000:

1. Low overall cost
2. Quiet, simple operation
3. Higher message throughput
4. No routine maintenance
5. Elegant, modern styling
6. Ultra high reliability
7. SEL, quality and know-how
8. Special versions as required

Special characters not found in the international alphabets and which require multiple characters are translated automatically. The new line key sends both carriage return and line feed from a single key depression.

As with modern telephones, dialing is by push buttons – the numeric keys of the keyboard. Connections are established rapidly and simply; electronic circuits ensure that any future dial procedures can be readily accomodated.

SEL-Teleprinter LO 2000 - Fast and simple Telex



With nearly one million telex subscribers in the world, telex is the widely accepted means of instant written communication. And now so simple with the SEL-Teleprinter LO 2000.

1. step
Press the line key, it lights and you have a line.

2. step
Fast and precise – key in the telex number.

3. step
Who is there? Press the key and the receiver's identification is printed in red.

4. step
With the automatic answer back your identification is sent to the receiver.

5. step
The message can be sent either from the keyboard or by prepared tape.

6. step
Send the identifier once more.

7. step
Confirm receipt of message by sending "who are you".

8. step
Finally sign off with the end key – what could be easier.

SEL-Teleprinter LO 2000
Easy to choose, easy to use

Selecting a new teleprinter?
Then consider the same criteria as for other modern business equipment. Is it economical, practical, cheap to run, and acceptable in your environment? The SEL-Teleprinter LO 2000 is all of these and more. The most modern technology has been used giving ultra high reliability and accessability. Modern human engineering techniques ensure that the SEL-Teleprinter LO 2000 is acceptable, everywhere.

Prepare telex tapes in local mode and use the keyboard at up to 800 characters/minute – as fast as a top typist.



The electro-optical keyboard

The layout of the keyboard is just like a modern electric typewriter. So simple to use and so light to operate. Touch a key with a feather and the character will be registered. The keyboard reaction is so fast that it can distinguish between two key-depressions only 5 milli-seconds apart.

Type as you please, start and stop, fast or slow, transmission is automatic at the correct rate for the line.

SEL-Teleprinter LO 2000
Practical — In every detail

The SEL-Teleprinter LO 2000 is designed to suit your location; office, factory, hotel or store, wherever is convenient. The keyboard and tape sender can be remote from the printer and tape punch as required. Close attention has been paid to the controls; the inclined keyboard, pushbuttons and straightforward paper changing make for easy operating.

Paper tape equipment allows error free message tapes to be prepared in local mode with no line charges to pay. In local mode the LO 2000 switches automatically to top speed, 800 characters per minute, nearly doubling message throughput. Once prepared, tapes can be used many times to send multiple messages or as parts of often-used texts.
Cheap convenient communications.

Editing Skip, step, on and off pushbutton keys allow quick simple tape editing; correction of errors or insertion of new text.
Simple and straightforward.

Keyboard National variants are available, two or three shift as required. Automatic figures/letters shift is provided and special character combinations are transmitted when required.

Enclosed throw-away cassettes make ribbon changing childs-play and alternate red/black printing is standard. The SEL-Teleprinter LO 2000 has features that are options on most other machines.

Copy Holder — Neat, elegant and efficient. The draft message is held at eye level.

SEL-Teleprinter LO 2000

Silence

The SEL-Teleprinter LO 2000 introduces a new generation of teleprinters. Noise free electronics replacing mechanical functions. Mechanical click and clatter will no longer disturb the calm of your organisation. The SEL-Teleprinter LO 2000 can now take its place, unheard, in your office or telexroom.

Simplicity

Anyone familiar with a modern electric typewriter will enjoy operating the SEL-Teleprinter LO 2000. Identical keyboard layout, feather light touch and simple controls means no special operator training. The endless ribbon cassette is so simple to change – and no more ink smudged hands. Everybody can now use the teleprinter!

Sophistication

Keyboard dialing, just like a push button telephone, makes fast accurate telex connections. A built-in buffer means you can type at a convenient speed – fast or slow. The SEL-Teleprinter LO 2000 automatically sends the message at the correct speeds and ensures that even at maximum speed every character keyed is sent.

In short when you install your new SEL-Teleprinter LO 2000 you install economic, reliable communications. You install tomorrow's teleprinter, today.



SEL-Teleprinter LO 2000 desk-model including tape-punch and tape-reader.

SEL-Teleprinter LO 2000
a complete telex station with attractive plinth mounting.

Summary Technical Data

Height (without plinth)	296 mm
Width	525 mm
Depth	605 mm
Weight	28 kg
Speed	50, 75 and 100 Bd switchable
Power supply	110, 127, 150, 220 and 240 V adjustable 47-52 Hz or 57 to 63 Hz. 120 VA.